



FIREPLACE **INSERTS**

The fire of your life.

Fireclay eboris 1300 ultra ivory



Fireclay eboris 1300 ultra black



PRODUCT-SPECIFIC PICTOGRAPHS

	RLA, room air dependent
	RLU, room air sealed
	Logs
	S-Thermatik NEO
	S-USI II
	S-ESAM 3.0
	S-Kamatik 2
	S-Vent
	Energy efficiency class
	Thermal output range (kW)
	H ₂ O; water-heat exchanger (kW)
	Water-side nominal heat output (kW)
	Straight
	Double sided
	L-shaped
	U-shaped

NOTE:
Colours may differ slightly from actual colours, due to the printing process. Technical data and colours subject to change. Errors and omissions excepted.

INDEX

Introduction	4
Product overview	10
Products	12

FLAMING PASSION FOR FIRE

Innovative technology in timeless design

Warmth, cosiness and atmosphere: A fireplace is at the top of many people's wish list. To make this wish come true, Spartherm offers a wide range of innovative fireplace inserts for making any architectural plan a reality. These innovative fireplace inserts feature an impressive design with large glass panes that offer a unique view of the flames. In addition to fireplace inserts with a front glass, Spartherm also offers L-shaped or U-shaped variants, among many other designs. The right combustion technology from Spartherm can make any wish come true. Since the company's founding in 1986, Spartherm has been continuously developing and implementing innovations to improve fireplace inserts and offer the perfect feel-good moment.

WHAT IS SO
FASCINATING
ABOUT A
SPARTHERM
FIREPLACE
INSERT?



**UNIQUE DESIGN,
JUST AS YOU
WANT IT**



**INNOVATIVE
PRODUCTS FOR
EVERY STYLE OF
LIVING**



**AN INDIVIDUAL FIRE-
PLACE EXPERIENCE,
FOR A LIFETIME**


LIVING STYLES – THE FIRE FOR EVERY STYLE

Whether minimalism, industrial chic or Skandi style: Fireplaces that focus on design and quality are in vogue. And that's no wonder: Limiting yourself to the essentials in your living space and removing superfluous items can bring tidiness and peace to your home. This is relaxing and lets you wind down. High-quality design classics suit this living trend well; they are durable and thus sustainable by nature. Like Spartherm's fireplace inserts.



You've got your new furniture, but is it still missing that certain something? Without a dash of naturalness, many living styles seem cold and impersonal. It's the little things that turn a new house into a cosy home. Warm, natural materials such as wood or leather. Beautiful fabrics, cushions and plaids. Pictures and books. Lovely colours that create a sense of well-being. But nothing gives an interior as much power and cosiness as a fireplace. Because it's the warmth and special atmosphere of a fireplace that really makes the living ambience radiate! Spartherm fireplace inserts offer an almost inexhaustible variety of creative possibilities. To make your dream fireplace become reality.

LEAN




U-shaped

Variant:

Lean 3RL-70hLean 3RL-70h RLU

from page 12

ARTE




Straight

Variant:

Arte Bh

from page 14




L-shaped

Variant:

Arte 2LRh-66

from page 16




U-shaped

Variant:

Arte 3RL-60hArte 3RL-80hArte 3RL-100hArte U-50hArte U-70hArte U-90h

from page 18

MINI




Straight

Variant:

Mini R1VMini R1V RLUMini Z1Mini Z1 RLUMini Z1 NSHFMini SMini S RLUMini ShMini Sh RLU

from page 22



L-shaped

Variant:

Mini 2LMini 2RMini 2LRh

from page 26



Double sided

Variant:

Mini S-FDh

from page 28

VARIA



Straight

Variant:

Varia 1VVaria 1V RLUMinia 1VhVaria 1Vh RLUMinia 1V-87hVaria 1V-100hVaria ShVaria Sh RLUMinia ASVaria AS RLUMinia ASHVaria ASH RLUMinia AhVaria BhVaria Bh RLUMinia B-120hVaria M-80h RLU

from page 30




L-shaped

Variant:

Varia 2L-55Varia 2L-55hVaria 2L-55h RLUMinia 2R-55Varia 2R-55hVaria 2R-55h RLUMinia 2L-62Varia 2L-62hVaria 2L-62h RLUMinia 2R-62Varia 2R-62hVaria 2R-62h RLUMinia 2L-68hVaria 2R-68hVaria 2LhVaria 2RhVaria AS-2LhVaria AS-2RhVaria 2L-80hVaria 2R-80hVaria 2L-100hVaria 2R-100h

from page 36




Double sided

Variant:

Varia FDVaria FD RLUMinia FDhVaria FD-87hVaria AS-FDhVaria A-FDhVaria B-FDh

from page 42




U-shaped

Variant:

Varia AS-3RLh

from page 48

VARIA H₂O



Straight

Variant:

Varia 1V H₂OVaria 1V H₂O XLVaria 1V H₂O XXLVaria 1Vh H₂OVaria 1Vh H₂O XLVaria 1Vh H₂O XXLVaria Ah H₂O

from page 50




L-shaped

Variant:

Varia 2L-55h H₂OVaria 2R-55h H₂OVaria 2Lh H₂OVaria 2Rh H₂O

from page 52



Double sided

Variant:

Varia FD H₂OVaria FDh H₂OVaria A-FDh H₂O

from page 54



LEAN

Minimum appliance depth,
maximum fire visibility



Lean 3RL-70h

The Lean 3RL-70h fireplace insert impresses with its consistently minimised appliance depth. The compact model is ideal when space is limited or the heat requirement is lower. U-shaped viewing panels create an impressive fire panorama. In terms of combustion technology, the innovative Lean model scores with infrared-coated combustion chamber glazing for reduced radiation distance and reduced build-up. Plus point for the environment: the compact format ensures efficient and thus sustainable use of wood as a fuel.

SMART FIREPLACE ASSISTANCE FUNCTIONS



S-Thermatik NEO
(combustion control)



S-USI II
(underpressure control)



S-ESAM 3.0
(automatic sliding door)



S-Vent
(convection air assistants)

VARIANTS

Lean 3RL-70h | RLU



A+



51.3 – 9.8 kW





ARTE

The balanced
high-format design

This pattern of flame is sure to fascinate. The Arte fireplace insert adds an extraordinary eye-catcher to a cosy ambiance. The impressive high-format design gives the flames plenty of space and slightly emphasises the vertical direction. This creates the perfect stage for amighty fire in all its glory – blazing and yet tamed.

SMART FIREPLACE ASSISTANCE FUNCTIONS*



S-Thermatik NEO
(combustion control)



S-USI II
(underpressure control)



S-ESAM 3.0
(automatic sliding door)



S-Kamatik 2
(chimney draft control)



S-Vent
(convection air assistants)

*Compatibilities may vary for models.



Arte Bh

VARIANT

Arte Bh



A



7.7 – 14.3 kW





ARTE

A special format



Arte 2LRh-66

The flickering flames are presented with understated elegance in this variant of Spartherm's Arte model. The two identical fronts form a slim silhouette for the generous combustion chamber. This allows the flames to develop to imposing size and show their full power. The Arte 2LRh-66 makes the fire visible from two sides and in its full height.

Moreover, this unit features sophisticated firing technology with a truly impressive performance. With an output of 6.4 kW, the energy level remains pleasant and does not overheat the room. In the Arte fireplace insert, Spartherm combines innovative technology and unique design to create unforgettable fire enjoyment.

VARIANT

Arte 2LRh-66

A+

4.5 – 8.3 kW
7.3 – 13.5 kW NSHF





ARTE

An elegant division

The wood crackles quietly and the fire's warmth creates a feel-good atmosphere in the spacious room. The U-shaped Arte model from Spartherm is perfect as an elegant divider for spacious rooms while simultaneously creating a special connection through fascinating fire. For this purpose, three different models of the Arte U-series with widths of up to 90 cm are available. These extremely large formats can also be opened with the S-ESAM electric door opener for maximum convenience. Visibility from three sides lends a unique expressiveness to this




Arte U-90h



Arte U-50h

extraordinary fireplace insert, making it an ideal room divider. After all, the flames are in front of the wall and are visible from any point in the room. They immerse their entire surroundings in a warm, fascinating pattern of light – for a fully three-dimensional fire experience. Depending on the model, the Arte can also be supplemented with smart fireplace assistance functions for a relaxed fire experience. When equipped with the underpressure control and the mechanical chimney draft control, the Arte offers even more safety. The electric, automatically operating sliding door called S-ESAM assists with convenient operation and turns time spent by the fireplace into pure relaxation.



Arte U-70h

VARIANTS

Arte 3RL-60h	 A+
	 7.0 – 13.0 kW
Arte 3RL-80h	 A
	 8.0 – 14.8 kW
Arte 3RL-100h	 A
	 7.7 – 14.3 kW
Arte U-50h	 A+
	 6.5 – 12.1 kW
Arte U-70h	 A+
	 8.0 – 14.8 kW
Arte U-90h	 A
	 9.1 – 16.9 kW





ARTE

Born to be a highlight

Three sides, three views, three models. The three sizes of the U-shaped Arte are the perfect stage for impressive flames. Your future dream fireplace can be placed anywhere in the room – whether on the wall or as an elegant room divider. In a variety of formats with a width from 60 cm to 100 cm, it makes the fascination of fire visible from all sides – for a warm and truly captivating pattern of light in a unique format.



Arte 3RL-100h



Arte 3RL-60h



Arte 3RL-80h



MINI

Small fireplace –
great effect



Mini Z1

If you want to set visual highlights in unusual places, you will find a flame for all occasions in the Mini fireplace insert. With its compact dimensions and sophisticated technology, the Mini offers exceptional fire enjoyment. This fireplace insert with its self-closing hinged door not only ensures maximum safety, but is also ideal for installation at a low height, such as under a staircase. Thus, the Mini represents a successful symbiosis of function and design – small but mighty!

VARIANTS

Mini R1V RLU		A
		4.5–6.8 kW

Mini R1V NSHF		A+
		4.5–8.1 kW

Mini Z1 RLU		A
		4.9–9.1 kW

Mini Z1 NSHF		A+
		7.0–13.0 kW

Mini S RLU		A
		4.9–9.1 kW

Mini Sh RLU		A
		4.9–9.1 kW





MINI

Small fireplace –
great effect

The fire crackles gently and invites you to linger. With a Mini, you can create a lively highlight even in the smallest room. After all, a genuine fire in a fireplace is an upgrade for any ambiance. So this fireplace insert, which is not too big and yet combines function and design, will fit perfectly even in a corner or on a narrow wall, and is sure to give you an unforgettable fire experience.

In addition, the smart fireplace assistance functions ensure a relaxed fire experience. The electric S-Thermatik NEO, for example, ensures efficient burning of the wood and the S-USI II underpressure control offers even more safety. With the electric, automatically operating sliding door called S-ESAM, operating the Mini becomes extremely convenient, leaving more time for enjoying the fire.



Mini S

SMART FIREPLACE ASSISTANCE FUNCTIONS*



S-Thermatik NEO
(combustion control)



S-USI II
(underpressure control)



S-Vent
(convection air assistants)

*Compatibilities may vary for models.



Mini Sh



MINI

Just change
your perspective

This is the fireplace insert for new insights. If you want to enjoy your fire again and again and in a different way each time, the L-shape of the Mini is the ideal entry-level format for corner fireplaces. The practical Mini 2L or Mini 2R with a self-closing hinged door, for example, is especially suitable for low installation situations. On the convenient Mini 2LRh with an elevating door, the front can even be opened with the S-ESAM electric door opener if desired. The holistic design of the L-shape creates a feel-good ambiance that is visible from two sides.



Mini 2L

VARIANTS

Mini 2L
Mini 2R



A



4.9 – 9.1 kW

Mini 2LRh



A



4.9 – 9.1 kW



Mini 2LRh



Mini 2R



MINI

For a compact connection



Open, yet separate. If you are looking for the perfect solution for a unique room design, you will find the answer in the “double sided” Mini. This compact Spartherm fireplace lets you see all the way through. To achieve this effect, the fireplace insert with its two glass panes is cleverly integrated into the architecture.

This creates an almost natural connection between two rooms. No matter where you are, the warming fire is with you and remains fascinating from every angle. Enjoy open perspectives even in compact rooms – for a more spacious impression and a special fire experience.

VARIANTS

Mini S-FDh



A



4.5 – 7.8 kW



Mini S-FDh



VARIA

Versatile variants

Blazing, lambent or gently flickering. Fire shows itself in countless facets. Varia fire-place inserts are available in a wide range of variants. But all versions feature the beautifully balanced door format. It's your free choice whether to open the door from the left or the right. A lifting glass is also available and can even be equipped with the S-ESAM electric door opener on request.



Varia 1Vh



Varia Bh



Varia 1V

VARIANTS

Varia 1V RLU Varia 1Vh RLU		A+
		7.7 – 14.3 kW
Varia 1V NSHF Varia 1Vh NSHF		A+
		11.9 – 21.2 kW
Varia 1V-87h		A+
		6.7 – 12.4 kW 7.6 – 14.2 kW NSHF
Varia 1V-100h		A
		7.3 – 13.5 kW
Varia Sh RLU		A+
		7.4 – 13.7 kW
Varia AS RLU Varia ASH RLU		A+
		4.9 – 9.1 kW
Varia AS NSHF Varia ASH NSHF		A+
		7.7 – 14.3 kW
Varia Ah Varia Bh RLU		A
		7.3 – 13.5 kW
Varia B-120h		A
		10.5 – 19.5 kW
Varia M-80h RLU		A
		6.3 – 11.7 kW





VARIA

Fireplace insert in a
widescreen format



Varia 1V-87h

The Varia-1V family is flexible, even in its performance. Its output ranges from 8.0 kW to 17.0 kW. If you want your life to be more sustainable, you can generate CO₂-neutral hot water for your whole home with the water-conducting H₂O version. Varia fireplaces will inspire you with efficient and innovative technology and with fascinating moments of fire.



Varia Sh



Varia M-80h RLU

SMART FIREPLACE ASSISTANCE FUNCTIONS*



S-Thermatik NEO
(combustion control)



S-USI II
(underpressure control)



S-ESAM 3.0
(automatic sliding door)



S-Vent
(convection air assistants)

* Compatibilities may vary for models..



VARIA

Fire on the big screen

A fire nearly as wide as the horizon. The Varia AS and Varia ASh fireplace inserts feature a sensational wide format that is sure to impress. They have a front width of 75 cm and a height of only 38 cm. These fascinating dimensions emulate a cinema screen.

The fireplace inserts are also compatible with the smart home trend. A smart assistance package featuring the S-Vent ventilation and the digital S-Thermatik NEO combustion control, is available to offer more comfort and safety – for a relaxed fire experience.



Varia AS

Varia ASh



VARIA

Perspectives for fire

Experience the flickering flames from many angles. With its compact corner glass pane, the Varia L-shape offers unobstructed visibility of an impressive fire from two sides. This makes the log-fired fireplace insert a perfect corner solution and opens up options for completely new fireplace positions in the room. Compartments of different sizes for the openly displayed wood store make your time in front of the fireplace insert even cosier.

All Varia corner fireplace models can also provide their power to additional rooms through warm air. The digital S-Thermatik NEO assists in the correct and, above all, safe handling of the fire.



Varia 2L-55h



Varia 2R-62

VARIANTS

Varia 2L-55 Varia 2R-55	 A
	 4.9 – 9.1 kW
Varia 2L-55h RLU Varia 2R-55h RLU	 A
	 4.9 – 9.1 kW
Varia 2L-62 Varia 2R-62	 A+
	 4.8 – 9.0 kW 7.0 – 13.0 kW NSHF
Varia 2L-62h RLU Varia 2R-62h RLU	 A+
	 4.8 – 9.0 kW
Varia 2L-68h Varia 2R-68h	 A+
	 6.7 – 12.5 kW 6.9 – 12.9 kW NSHF
Varia 2Lh Varia 2Rh	 A+
	 7.4 – 13.7 kW 8.4 – 15.6 kW NSHF
Varia AS-2Lh Varia AS-2Rh	 A
	 4.9 – 9.1 kW
Varia 2L-80h Varia 2R-80h	 A+
	 7.7 – 14.3 kW
Varia 2L-100h Varia 2R-100h	 A+
	 8.6 – 16.0 kW





VARIA

Great design for corners

This fireplace insert is surprisingly different. With the Varia L-shape, Spartherm has created an impressive corner solution in king-size format, the wide front of which provides an unobstructed view of a fascinating pattern of fire. The orientation of the longer side of the L-shape can be selected freely. This allows the focus to be directed to the fire and makes this fireplace insert a special eye-catcher in a modern ambiance.



Varia 2Lh



Varia 2L-80h



Varia 2L-100h



VARIA

Unique design meets state-of-the-art fireplace technology



Varia 2R-68h



Varia 2L-62h



Varia AS-2Lh



VARIA

Connecting on a grand scale



Varia FDh


Exclusive and impressive. The unique design of the Varia double-sided models creates a fire experience that's in a class of its own. A single fire will fascinate you from two perspectives, while the cosy atmosphere can be felt throughout the entire house. And on top of that, these fireplace inserts all have an energy efficiency class of at least A.




Varia AS-FDh

VARIANTS


Varia FD | RLU
Varia FDh



Varia FD-87h




Varia AS-FDh



Varia A-FDh



Varia B-FDh





VARIA

Connecting on a grand scale



Varia A-FDh



Varia FD-87h



VARIA

The fireplace range
with elegant transparency

Anyone who enters a spacious room with a Varia double-sided fireplace insert will appreciate the cosy, pleasant atmosphere. That is because the different models feature a fascinating and elegant wide format while also presenting the fire as a connecting element between two rooms.



Varia FD



Varia B-FDh



VARIA

It's show time
for flickering flames

This fireplace insert offers a spectacular presentation for a special fire experience. The unique U-shape of the Varia model lets the flames come away from the wall and take the stage in the star role. The warmth and firelight can be experienced from any point in the room thanks to the three sides of the fireplace insert. This spectacle is sure to captivate anyone who sees it.

The optional electric S-ESAM lift for opening the door pane like a theatre curtain further enhances this impression. The warming effect of the Varia models also spreads to other rooms, as the heated air they generate can be felt throughout your home, making it cosy and warm.



Varia AS-3RLh

VARIANTS

Varia AS-3RLh



A



5.9 – 10.9 kW





VARIA H₂O

Fire and water



Varia Ah H₂O

The wood in the Varia H₂O crackles quietly and flares up every now and then. After a while, the cosy warmth will beckon you to sit by the fireplace insert and, once you stare into the flickering flames, you are sure to experience pure relaxation. But these special models of the Varia series won't just make your eyes shine brighter with their unique pattern of fire, they will also impress you with their technical finesse.


These innovative H₂O models produce sustainable and CO₂-neutral hot water through the water heat exchanger in the unit, that can be used in all areas of your entire home. The digital S-Thermatik NEO supports this. All variants of the fireplace insert, fuelled by well-stored logs, achieve energy efficiency class A+ in tests, making them an environment-friendly, sustainable solution.



VARIANTS

Varia 1V H₂O
Varia 1Vh H₂O

 A+

 5.6 – 10.4 kW


Varia 1V H₂O XL
Varia 1Vh H₂O XL

 A+

 6.3 – 11.7 kW


Varia 1V H₂O XXL
Varia 1Vh H₂O XXL

 A+

 10.5 – 19.5 kW

Varia Ah H₂O

 A+

 7.3 – 13.5 kW





VARIA H₂O



Perspectives of flame



Warmth and a feeling of security. These are the sensations that have made a spot by the fire so coveted for all of human history. The sophisticated L-shape of the Varia H₂O with its compact corner panes provides a full view of the flames from two sides. This keeps the flickering flames visible at all times. The ingenious corner solution opens up new dimensions for unique interior design as the fireplace insert can be placed unattached and freely in the room.

All Varia corner fireplace models have yet another advantage. The water-bearing variant is particularly designed for sustainable consumption of resources. Because it produces hot water that is CO₂-neutral - with the fire of innovation. The digital S-Thermatik NEO assists in the correct handling of the fire.



VARIANTS

Varia 2L-55h H₂O  A+
Varia 2R-55h H₂O  4.9 – 9.1 kW

Varia 2Lh H₂O  A+
Varia 2Rh H₂O  7.3 – 13.5 kW



Varia 2R-55h H₂O



VARIA H₂O

Greater insights

This design is pure fascination. The double-sided Varia H₂O keeps the flames in view at all times. With its clean lines, the fireplace insert connects two rooms with a unique fire, creating a new architectural experience.

SMART FIREPLACE ASSISTANCE FUNCTIONS



S-Thermatik NEO
(combustion control)



S-USI II
(underpressure control)



Varia FD H₂O

For this purpose, Spartherm has developed different front widths of 67 cm or 87 cm that fit seamlessly into a wall design. The large-format, fully non-reflective ceramic glass panes are sure to fascinate you with an unobstructed view of the lively fire.

But the double-sided models of the Varia H₂O can also be adapted to individual needs. Additional features can create an even greater-quality fire experience. In addition to a classic swing door, an elevating stove door is also available. For even more convenient operation, the latter can also be equipped with the S-ESAM electric door opener, if desired. Just like the other Varia H₂O models, this variant is designed to produce hot water in a sustainable and CO₂-neutral way.

VARIANTS

Varia FD H₂O
Varia FDh H₂O

A+

7.0 – 13.0 kW

Varia A-FDh H₂O

A+

7.3 – 13.5 kW



HOW DOES A HYDRONIC FIREPLACE WORK



Spartherm's hydronic fireplace inserts, tiled stoves and SIM systems utilise the heat of the stove in two different ways. The otherwise wasted heat in the flue gas is used to heat up heating water. The energy obtained through this method can be used to heat up the room or for central water heating.

The hydronic fireplace insert, stove or SIM system is integrated in the heating system of the building. A fire in a fireplace generates heat that, depending on the system layout, primarily reaches the living space as radiation or convection heat. Hydronic fireplaces, however, are equipped with a "heat exchanger". It ensures that energy is removed from the unit and can then be used and stored efficiently in other ways.

How does it do that? The heating water is "cold" when it flows through the pipes of the building and into the heat exchanger. It is then heated by the energy of the fire. The heated water flows on into a water tank, the buffer storage. Energy is stored there and can be used in different rooms and at different times, thanks to the heating system, for instance to support the central heating system, or to heat up drinking water.

SPECIAL FEATURES AT A GLANCE

HIGH WATER-SIDE POWER LEVELS

Additional energy transfer via heat exchangers in the double-walled body elements.

A CLEAN SOLUTION

Flue gas heat exchanger with integrated automatic bypass flap for great heating convenience

QUICK ENERGY TRANSFER


Low water volume = quick heating time and quick usage

CLEAR VIEW OF THE FIRE

Large glass surface areas, but high water-side power

HIDDEN TECHNOLOGY


Barely distinguishable from a non-hydronic unit when installed



SPARTHERM® PRODUCT RANGE




DESIGN **YOUR**
PERSONAL
MOMENT OF **FIRE.**




PRODUCT CONSULTANT

WHICH FIRE GOES BEST WITH YOUR LIFE?

Find the fireplace insert that precisely meets your requirements in just a few steps!




www.spartherm.com



PREMIUM EDITION



STOVES AND
COMPACT UNITS



INSTALLATION MODULES
SIM SERIE



FIREPLACE CASSETTES
AND FIREPLACE DOORS



TILED STOVES




DECO FIRE

THE FIRE OF YOUR LIFE.



SPECIALIST DEALERS



www.facebook.com/spartherm

www.instagram.com/spartherm

www.youtube.com/sparthermgermany

www.spartherm.com

