

# MAZONA

— STOVES —



# Welcome to the Mazona Stoves Range 2024/25

For over 30 years we have been manufacturing quality multi fuel stoves at affordable prices. Our range of stoves continues to expand and adapt to ensure we can offer unique stoves designed by our team of experts. Whether you opt for one of our traditional models like the Portland inset, or one of our contemporary designs such as the Callan freestanding with log store or plinth base, you will be sure to find the perfect Mazona stove to bring warmth to your home at an affordable price.

## Efficiency & Regulations



All our stoves are put through a series of tests to ensure they meet ecodesign regulations which were put in place in 2022 to improve air quality. This ensures our stoves are highly efficient, releasing fewer particulate emissions than traditional open fires and are suitable to install in the UK and Ireland.

## Our Retailer network

Our stoves are available to purchase from independent retailers throughout Ireland. Each retailer has their own showroom where you can see our stoves on display, often burning so you can get a real feel for our stoves.

Our retailers are experts in their field and will help guide you to ordering the perfect Mazona stove for your home as well as helping you with the installation process.



Scan to  
find your  
nearest  
retailer



mazona\_stoves\_ireland




mazonastoves.com



# Mazona Stove Features

---



We offer a 5-year stove body warranty with all our stoves from the date of purchase. For full warranty terms and conditions refer to your stove's user manual.


We keep stock of spares across our full range of stoves as well as selected discontinued models. We are proud to offer dedicated after-sales care alongside our selected retailers to ensure your Mazona stove will last for many years.

---



All our stoves meet and often surpass ecodesign regulations. This means our stoves are highly efficient and burn fewer particulate emissions than traditional open fires or older stove models.

---



To ensure your stove burns as cleanly as possible it is important you choose the correct fuel. If you are burning wood ensure you purchase kiln dried logs with less than 20% moisture. If you are burning solid fuel ensure you use smokeless solid fuel.

---



If you purchase a stove with a nominal output over 5kW or live in a new build house which are commonly airtight, you may need to opt for a direct air connection when installing your stove. This is to ensure the stove can get the required air needed for combustion. All our models allow for a direct air connection. Each Mazona stove will either be direct air ready or direct air compatible with an additional direct air kit.



# Our Stoves



**Callan** (see pages 6-7)

Callan 5 Pedestal  
Callan 5 Log Store



**Orka** (see pages 8-9)

Orka 5



**Shelbourne** (see pages 10-11)

Shelbourne 5  
Shelbourne 8



**Westport** (see pages 12-13)

Westport 5  
Westport 7



**Ashford** (see pages 14-15)

Ashford 5  
Ashford 8



**Newport** (see pages 16-17)

Newport 5  
Newport 7



**Ive** (see pages 18-19)

Ive 5  
Ive 7



**Glencara** (see pages 20-21)

Glencara 4  
Glencara 5  
Glencara 8



**Wicklow** (see pages 22-23)

Wicklow 4  
Wicklow 5  
Wicklow 5 Widescreen  
Wicklow 8

# Our Stoves



**Kinsale** (see pages 24-25)

Kinsale 400  
Kinsale 550



**Portland** (see pages 26-27)

Portland 5  
Portland 7



**Micon Fire Door** (see page 28)

Micon Fire Door

## Contents

### Freestanding Stoves

|                             |    |
|-----------------------------|----|
| Callan <b>NEW</b> .....     | 6  |
| Orka <b>NEW</b> .....       | 8  |
| Shelbourne <b>NEW</b> ..... | 10 |
| Westport <b>NEW</b> .....   | 12 |
| Ashford .....               | 14 |
| Newport .....               | 16 |
| Ive .....                   | 18 |
| Glencara .....              | 20 |
| Wicklow .....               | 22 |

### Inset / Cassette Stoves

|                |    |
|----------------|----|
| Kinsale .....  | 24 |
| Portland ..... | 26 |

### Fire Doors

|                       |    |
|-----------------------|----|
| Micon Fire Door ..... | 28 |
|-----------------------|----|

|               |    |
|---------------|----|
| Hearths ..... | 29 |
|---------------|----|

|                |    |
|----------------|----|
| Chambers ..... | 30 |
|----------------|----|



# Callan Eco Freestanding

A contemporary stove available in two configurations. Choose between the log store base; perfect for storing fuel ready for burning, or the pedestal option which elevates the stove body for a modern freestanding installation.

The Callan will create a striking focal point in your space no matter which version you opt for.



## Model Specifications



### Callan Logstore / Pedestal

|                    |                |
|--------------------|----------------|
| Nominal Output     | 4.9kW          |
| Ecodesign Approved | A              |
| Efficiency Class   | ✓              |
| Maximum Efficiency | 78.6%          |
| Woodburning        | ✓              |
| Solid Fuel         | ✓              |
| Stove Body         | Steel          |
| Stove Door         | Cast Iron      |
| Flue               | 5" Top or Rear |
| Direct Air         | Ready          |
| Maximum Log Length | 280mm          |
| Colour Options     | Black          |
| Width              | 430mm          |
| Height             | 860mm          |
| Depth              | 343mm          |
| Weight             | 89kg           |



Scan to see a video of the Callan





# Orka Eco Freestanding

Scandinavian influence makes the Orka stand out as a uniquely designed stove. Tapered legs, curved edges and a simplistic art deco style ensure the Orka will be a focal point in your home.

Optional Extras:

- Log Store coming soon
- Grey Edition
- Direct air kit



## Model Specifications



**Orka 5**

**5kW**

Ecodesign Approved



Efficiency Class



Maximum Efficiency

**82.5%**

Woodburning



Solid Fuel



Stove Body

Steel

Stove Door

Cast Iron

Flue

5" Top or Rear

Direct Air

Compatible

Maximum Log Length

250mm

Colour Options

Black / Grey

Width

408mm

Height

562mm

Depth

300mm

Weight

65kg



Scan to  
see a  
video of  
the Orka



# LE POUVOIR DES FLEURS

PARC MONCEAU, FRANCE 1972  
À PARTIR DU 18 SEPTEMBRE



# Shelbourne Eco Freestanding

Fully cast iron the Shelbourne offers brilliant heat retention in both the 5kW & 8kW models. This traditional stove has stepped detailing on the arched door with a widescreen glass panel offering a brilliant view of the flames inside the chamber.



## Model Specifications



|                    | Shelbourne 5   | Shelbourne 8   |
|--------------------|----------------|----------------|
| Nominal Output     | 5.1kW          | 8.1kW          |
| Ecodesign Approved | ✓              | ✓              |
| Efficiency Class   | A              | A              |
| Maximum Efficiency | 78.2%          | 79.4%          |
| Woodburning        | ✓              | ✓              |
| Solid Fuel         | ✓              | ✓              |
| Stove Body         | Cast Iron      | Cast Iron      |
| Stove Door         | Cast Iron      | Cast Iron      |
| Flue               | 5" Top or Rear | 5" Top or Rear |
| Direct Air         | Ready          | Ready          |
| Maximum Log Length | 350mm          | 350mm          |
| Colour Options     | Black          | Black          |
| Width              | 538mm          | 538mm          |
| Height             | 645mm          | 645mm          |
| Depth              | 305mm          | 355mm          |
| Weight             | 104.5kg        | 113.8kg        |



Scan to see  
a video  
of the  
Shelbourne





# Westport Eco Freestanding

One of our newest stoves the Westport is traditionally designed freestanding model. The stove is fully cast iron meaning it will retain heat longer. The Westport also surpasses ecodesign requirements making the Westport a highly efficient stove.

The Westport 7 will be released in 2025



## Model Specifications



|                    | Westport 5     | Westport 7     |
|--------------------|----------------|----------------|
| Nominal Output     | 4.9kW          | 6.8kW          |
| Ecodesign Approved | ✓              | ✓              |
| Efficiency Class   | A              | A              |
| Maximum Efficiency | 78.7%          | 80.3%          |
| Woodburning        | ✓              | ✓              |
| Solid Fuel         | ✓              | ✓              |
| Stove Body         | Cast Iron      | Cast Iron      |
| Stove Door         | Cast Iron      | Cast Iron      |
| Flue               | 5" Top or Rear | 5" Top or Rear |
| Direct Air         | Ready          | Ready          |
| Maximum Log Length | 280mm          | 350mm          |
| Colour Options     | Black          | Black          |
| Width              | 470mm          | 540mm          |
| Height             | 580mm          | 648mm          |
| Depth              | 340mm          | 363mm          |
| Weight             | 85kg           | 110kg          |



Scan to see  
a video  
of the  
Westport



**ABSTRACT  
MINIMALISM**

Nr. 283



# Ashford Eco Freestanding

The tall glass door in the Ahford stove will give you an uninterrupted view of the flame picture. The 8kW model comes with a black door handle which matches the air controls. This can be purchased seperately for the 5kW edition.

Optional Extras:

- Black handle (5kW Model)



5  
YEAR  
WARRANTY

WOOD  
BURNING

SOLID FUEL  
BURNING

SPARES  
READY TO ORDER

ECO  
DESIGN

Direct Air  
System

## Model Specifications

|                    | Ashford 5      | Ashford 8      |
|--------------------|----------------|----------------|
| Nominal Output     | 5kW            | 8.1kW          |
| Ecodesign Approved | ✓              | ✓              |
| Efficiency Class   | A+             | A              |
| Maximum Efficiency | 82.5%          | 79.4%          |
| Woodburning        | ✓              | ✓              |
| Solid Fuel         | ✓              | ✓              |
| Stove Body         | Steel          | Steel          |
| Stove Door         | Cast Iron      | Cast Iron      |
| Flue               | 5" Top or Rear | 5" Top or Rear |
| Direct Air         | Ready          | Ready          |
| Maximum Log Length | 300mm          | 350mm          |
| Colour Options     | Black          | Black          |
| Width              | 462mm          | 532mm          |
| Height             | 651mm          | 651mm          |
| Depth              | 379mm          | 379mm          |
| Weight             | 85kg           | 95kg           |



Scan to see  
a video of  
the Ashford





# Newport Eco Freestanding

With or without the matching log store the Newport is a highly efficient contemporary freestanding stove available in two outputs that will create a cosy atmosphere in your home.

Optional Extras:

- Log Stores



## Model Specifications



|                    | Newport 5      | Newport 7      |
|--------------------|----------------|----------------|
| Nominal Output     | 4.9kW          | 6.8kW          |
| Ecodesign Approved | ✓              | ✓              |
| Efficiency Class   | A              | A              |
| Maximum Efficiency | 78.6%          | 80.3%          |
| Woodburning        | ✓              | ✓              |
| Solid Fuel         | ✓              | ✓              |
| Stove Body         | Steel          | Steel          |
| Stove Door         | Cast Iron      | Cast Iron      |
| Flue               | 5" Top or Rear | 5" Top or Rear |
| Direct Air         | Ready          | Ready          |
| Maximum Log Length | 280mm          | 400mm          |
| Colour Options     | Black          | Black          |
| Width              | 450mm          | 520mm          |
| Height             | 530mm          | 600mm          |
| Depth              | 326mm          | 335mm          |
| Weight             | 70kg           | 84kg           |



Scan to see  
a video  
of the  
Newport





# Ive Eco Freestanding

Perfect to install in an existing fireplace or freestanding in a contemporary setting the Ive is available in two sizes. Both models can be paired with a log store to add a boost of height to the stove as well as creating storage space for logs.

Optional Extras:

- Log Stores



## Model Specifications



|                    | Ive 5          | Ive 7          |
|--------------------|----------------|----------------|
| Nominal Output     | 4.9kW          | 6.8kW          |
| Ecodesign Approved | ✓              | ✓              |
| Efficiency Class   | A              | A              |
| Maximum Efficiency | 78.6%          | 80.3%          |
| Woodburning        | ✓              | ✓              |
| Solid Fuel         | ✓              | ✓              |
| Stove Body         | Steel          | Steel          |
| Stove Door         | Cast Iron      | Cast Iron      |
| Flue               | 5" Top or Rear | 5" Top or Rear |
| Direct Air         | Ready          | Ready          |
| Maximum Log Length | 280mm          | 400mm          |
| Colour Options     | Black          | Black          |
| Width              | 430mm          | 500mm          |
| Height             | 530mm          | 600mm          |
| Depth              | 315mm          | 325mm          |
| Weight             | 69kg           | 87kg           |



Scan to see a video of the Ive





# Glencara Eco Freestanding

One of our longstanding models the Glencara is available in three outputs. The 5 & 8 models also come with the option of a log store which elevates the stove while giving you space to store logs ready for burning.

Optional Extras:

- Log Store for 5 & 8 models
- Direct air kit



## Model Specifications



|                    | Glencara 4     | Glencara 5     | Glencara 8     |
|--------------------|----------------|----------------|----------------|
| Nominal Output     | 4.1kW          | 5kW            | 8.4kW          |
| Ecodesign Approved | ✓              | ✓              | ✓              |
| Efficiency Class   | A              | A              | A              |
| Maximum Efficiency | 75.4%          | 75.6%          | 79%            |
| Woodburning        | ✓              | ✓              | ✓              |
| Solid Fuel         | ✓              | ✓              | ✓              |
| Stove Body         | Steel          | Steel          | Steel          |
| Stove Door         | Cast Iron      | Cast Iron      | Cast Iron      |
| Flue               | 5" Top or Rear | 5" Top or Rear | 5" Top or Rear |
| Direct Air         | Compatible     | Compatible     | Compatible     |
| Maximum Log Length | 280mm          | 280mm          | 350mm          |
| Colour Options     | Black          | Black          | Black          |
| Width              | 380mm          | 380mm          | 490mm          |
| Height             | 487mm          | 487mm          | 530mm          |
| Depth              | 292mm          | 342mm          | 362mm          |
| Weight             | 59.5kg         | 68kg           | 80.5kg         |



Scan to see a video of the Glencara





# Wicklow Eco Freestanding

Brass accents on the door hinge, and air controls are now complimented by the new Wicklow long handle available on all models. This traditional stove proves popular year on year as a Mazona staple.

Optional Extras:

- Log Store for 5 & 8 models
- Direct air kit



## Model Specifications



|                    | Wicklow 4      | Wicklow 5      | Wicklow 5 Widescreen | Wicklow 8      |
|--------------------|----------------|----------------|----------------------|----------------|
| Nominal Output     | 4.1kW          | 5kW            | 5.1kW                | 8.1kW          |
| Ecodesign Approved | ✓              | ✓              | ✓                    | ✓              |
| Efficiency Class   | A              | A+             | A                    | A              |
| Maximum Efficiency | 77.1%          | 80.3%          | 78.2%                | 79.4%          |
| Woodburning        | ✓              | ✓              | ✓                    | ✓              |
| Solid Fuel         | ✓              | ✓              | ✓                    | ✓              |
| Stove Body         | Steel          | Steel          | Steel                | Steel          |
| Stove Door         | Cast Iron      | Cast Iron      | Cast Iron            | Cast Iron      |
| Flue               | 5" Top or Rear | 5" Top or Rear | 5" Top or Rear       | 5" Top or Rear |
| Direct Air         | Compatible     | Compatible     | Compatible           | Compatible     |
| Maximum Log Length | 280mm          | 280mm          | 350mm                | 350mm          |
| Colour Options     | Black          | Black          | Black                | Black          |
| Width              | 370mm          | 370mm          | 490mm                | 490mm          |
| Height             | 538mm          | 538mm          | 593mm                | 581mm          |
| Depth              | 272mm          | 312mm          | 277mm                | 327mm          |
| Weight             | 50kg           | 55kg           | 70kg                 | 71kg           |



Scan to see a video of the Wicklow





# Portland Eco Inset

Perfect to update an existing open fireplace with a highly efficient inset stove. The Portland will fit standard 16" & 22" openings and is now also available in a selection of enamel finishes.

Optional Extras:

- Enamel Black & Enamel Cream Editions
- Direct air kit



## Model Specifications



|                    | Portland 5                          | Portland 7                          |
|--------------------|-------------------------------------|-------------------------------------|
| Nominal Output     | 4.6kW                               | 6.7kW                               |
| Ecodesign Approved | ✓                                   | ✓                                   |
| Efficiency Class   | A                                   | A                                   |
| Maximum Efficiency | 76.9%                               | 76.5%                               |
| Woodburning        | ✓                                   | ✓                                   |
| Solid Fuel         | ✓                                   | ✓                                   |
| Stove Body         | Steel                               | Steel                               |
| Stove Door         | Cast Iron                           | Cast Iron                           |
| Flue               | 5" Top Angled 30°                   | 5" Top Angled 30°                   |
| Direct Air         | Compatible                          | Compatible                          |
| Maximum Log Length | 280mm                               | 280mm                               |
| Colour Options     | Black / Enamel Black / Enamel Cream | Black / Enamel Black / Enamel Cream |
| Width              | 486mm                               | 486mm                               |
| Height             | 598mm                               | 598mm                               |
| Depth              | 347mm                               | 437mm                               |
| Weight             | 90kg                                | 103kg                               |



Scan to see  
a video  
of the  
Portland





# Kinsale Eco Inset / Cassette

A contemporary cassette stove that can be installed in either an existing fireplace or in a custom made space in a suitable wall.

Optional Extras:


- 3 or 4 sided trim option for 550 model
- Direct air kit



## Model Specifications



|                    | Kinsale 400       | Kinsale 550       |
|--------------------|-------------------|-------------------|
| Nominal Output     | 4.6kW             | 6.5kW             |
| Ecodesign Approved | ✓                 | ✓                 |
| Efficiency Class   | A                 | A                 |
| Maximum Efficiency | 76.9%             | 78.6%             |
| Woodburning        | ✓                 | ✓                 |
| Solid Fuel         | ✓                 | ✓                 |
| Stove Body         | Steel             | Steel             |
| Stove Door         | Glass             | Glass             |
| Flue               | 5" Top Angled 30° | 5" Top Angled 30° |
| Direct Air         | Compatible        | Compatible        |
| Maximum Log Length | 250mm             | 300mm             |
| Colour Options     | Black             | Black             |
| Width              | 493mm             | 643mm             |
| Height             | 598mm             | 646mm             |
| Depth              | 350mm             | 350mm             |
| Weight             | 73kg              | 95kg              |



Scan to  
see a  
video of  
the Kinsale







# Micon Fire Door

Gain more control and improved efficiency of your open fire with the Micon Fire Door without the undertaking of installing a new stove. The Micon Fire Door suits most 16" & 18" openings.




## Model Speifications




| Micon Fire Door |           |
|-----------------|-----------|
| Woodburning     | ✓         |
| Solid Fuel      | ✓         |
| Stove Door      | Cast Iron |
| Colour Options  | Black     |
| Width           | 380mm     |
| Height          | 487mm     |
| Depth           | 292mm     |
| Weight          | 59.5kg    |


# Hearths




| Unfilled Black Granite Slab |       |            |           |
|-----------------------------|-------|------------|-----------|
|                             | H(mm) | W (mm)     | D (mm)    |
| GHUNR5420                   | 20    | 1370 (54") | 508 (20") |
| GHUNR6020                   | 20    | 1525 (60") | 508 (20") |
| GHUNR6620                   | 20    | 1676 (66") | 508 (20") |
| GHUNR7220                   | 20    | 1830 (72") | 508 (20") |




| Black Granite Honed Slab |        |            |           |
|--------------------------|--------|------------|-----------|
|                          | H (mm) | W (mm)     | D (mm)    |
| BGHCHF5418               | 30     | 1370 (54") | 460 (18") |
| BGHCHF6018               | 30     | 1524 (60") | 460 (18") |



| Filled Granite Hearth Micon Cut |        |            |           |
|---------------------------------|--------|------------|-----------|
|                                 | H (mm) | W (mm)     | D (mm)    |
| GHF5418MC                       | 90     | 1370 (54") | 460 (18") |
| GHF6018MC                       | 90     | 1524 (60") | 460 (18") |




| Arched Filled Black Granite Hearth |        |            |           |
|------------------------------------|--------|------------|-----------|
|                                    | H (mm) | W (mm)     | D (mm)    |
| GSHFA40X30                         | 90     | 1000 (40") | 750 (30") |
| GSHFA54X30                         | 90     | 1372 (54") | 750 (30") |
| GSHFA60X30                         | 90     | 1520 (60") | 750 (30") |



| Corner Hearth |        |        |            |
|---------------|--------|--------|------------|
|               | H (mm) | W (mm) | D (mm)     |
| GHC40X40      | 30     | 1434   | 1016 (40") |

# Chambers


## Z Chamber Tiles



| H (mm) | W(mm)<br>(overall) | W (mm)<br>(spacing) | Pack Size |
|--------|--------------------|---------------------|-----------|
| 150    | 602                | 562                 | 7         |



## Red Brick Chamber



|                | H (mm) | W (mm) |
|----------------|--------|--------|
| Back Panel     | 1000   | 1000   |
| Side Panels x2 | 1000   | 500    |



# LE POUVOIR DES FLEURS

PARC MONCEAU, FRANCE 1972

A PARTIR DU 18 SEPTEMBRE



mazona\_stoves\_ireland



mazonastoves.com



Scan to  
find your  
nearest  
retailer



