

# Dimplex®

Experience Better Living



**Season**  
*2025/2026*



Embrace Comfort  
without Compromise





## Experience Better Living

Millions of people around the world enjoy the comfort we bring every day with our range of electric fires. For over 50 years our customers and partners have relied on our people, products and brand, to deliver atmosphere in a safe and sustainable way, with no compromise.

Our track record of bringing innovation, being first in market and opening new categories is driven by our desire to challenge the status quo and find better solutions to provide the comfort and ambience to enhance millions of lives.

A decorative electric fire is the perfect solution when looking for an instant upgrade in any environment, be it a home or a public space. It does not require a chimney or any complicated installation and can be positioned almost anywhere. It simply requires a socket. Decorative fireplaces can elevate the ambience of any space, 365 days per year, as they also deliver heat, but only on demand.

No emissions or unhealthy dust, completely safe and maintenance free.

Sustainability and comfort, without compromise.

Comfort without  
compromise

### 2 Year Product Guarantee

Please note that all Dimplex electric fires within this brochure come with our standard 2 year guarantee. Products must be installed in accordance with the manufacturer's instructions and maintained in line with the Terms & Conditions, which are available at [ww.dimplex.co.uk/terms](http://ww.dimplex.co.uk/terms).



---

<b>Inset/Freestanding</b>	Atherton	5
	Balmoral	7
	Bellemont	11
	Kingsley Deluxe	13
	Pomona	17
	Portree	19
	Savena	21

---

<b>Electric Stoves</b>	Bari	23
	Bayport	25
	Courchevel	27
	Fullerton	29
	Leckford	31
	Lucia	33
	Microstove	35
	Willowbrook	37

---

<b>Wall Electric Fires</b>	Optimyst Wall Fire	39
	Toluca Deluxe	41

---

<b>Built-in Electric Fires</b>	Ignite 74	43
	Ignite 100	45

---

<b>Electric Suites</b>	Chadwick	47
	Mozart	49
	Portland 16	51
	Portland 23	53


---



## The world's most realistic 3D flame effect

**Optimyst** is the world's most realistic 3D electric flame effect for those looking for a truly authentic experience, combined with the safety and low maintenance that electric fires provide.

Patented by Dimplex, Optimyst offers a captivating flame experience like no other. This unique flame effect is created by an innovative combination of water vapour and light creating a captivating visual experience that not only adds a touch of elegance but also infuses your home with a comforting ambience. Experience the warmth and allure of the Optimyst flame for yourself and transform your living space into a serene retreat.



## The original & best electric flame effect

**Optiflame** is the original Dimplex electric flame effect, which revolutionised the electric fire market when first launched in 1988. This innovative technology produces a mesmerising and lifelike flame that not only adds warmth but also creates a captivating ambience in any space.

With the assurance of complete safety, Optiflame offers the peace of mind that comes with a maintenance-free electric solution. Its enchanting flames invite you to relax and unwind, making it the perfect addition to enhance the atmosphere in your home. Discover how Optiflame can bring both style and comfort to your living environment.

## Atherton









INSET ELECTRIC FIRE

ATH20



Atherton

### Features

-  Unique Optimyst effect
-  2kW heat output
-  Choice of 2 heat settings
-  Thermostat
-  LED lighting
-  Remote control
-  Coal fuel bed
-  Flame effect only

### Atherton




Remote Control

Fuel Bed



## Atherton



### Dimensions & Weight

Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
614mm	463mm	196mm	7.5kg

### Product Features

Heat Output	2kW
Heat Settings	2 - 1kW / 2kW
Variable Thermostat	Y
Fan Heat / Radiant Heat	Yes / No
Location of Controls	Top of fire (behind cover)
On/Off Switch	Y
Remote Control	Y
Batteries Included	Y (1 x CR2032)
Optimyst Effect	Y
Flame Type	Optimyst
Water Tank Size	750ml
Fuel Bed Supplied	Coals

### Product Features

Product Category	Electric Fires
Product Type	Inset
Brand	Dimplex
Model/Range Name	Atherton
Flame Effect	Optimyst
Model Reference	ATH20
Material Code	X-059109
Barcode	5011139059109
Approvals	CE/UKCA
Guarantee Period	2 years

### Product Features

Lot 20 Compliant	Y
Freestanding	N
Wall Mountable	N
Inset	Y
Spacer Kit	N
Suite	N
Lamp Type	LED
Kettle (IEC) Lead	N
Safety Cut Out	Y
Power Cord Length	1.8m
Core Materials	Steel/plastic
Finish / Colour	Brass / Black

## Balmoral









INSET ELECTRIC FIRE

BAL20BR



Balmoral Brass

### Features

-  Unique Optiflame effect
-  2kW heat output
-  Choice of 2 heat settings
-  Thermostat
-  LED lighting
-  Side switch control
-  Coal fuel bed
-  Flame effect without heat

### Balmoral



Brass

### Spacer Kit




### Manual Control



### Fuel Bed



# Balmoral



## Dimensions & Weight

Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
615	463	185	8

## Product Features

Heat Output	2kW
Heat Settings	2 - 1kW / 2kW
Variable Thermostat	Y
Fan Heat / Radiant Heat	Yes / No
Location of Controls	On side panel
On/Off Switch	Y
Remote Control	N
Batteries Included	N
Optiflame Effect	Y
Flame Type	Rotisserie
Flame Effect Only	Y
Fuel Bed Supplied	Coal

## Accessories

OSP004 Spacer Kit	X-048264
-------------------	----------

## Product Features

Product Category	Electric Fires
Product Type	Inset
Brand	Dimplex
Model/Range Name	Balmoral
Flame Effect	Optiflame
Model Reference	BAL20BR
Material Code	X-047496
Barcode	5011139047496
Approvals	CE/UKCA
Guarantee Period	2 years

## Product Features

Lot 20 Compliant	Y
Freestanding	Y (with spacer)
Wall Mountable	N
Inset	Y
Suite	N
Spacer Kit	Y (see below)
Lamp Type	LED
Safety Cut Out	Y
Kettle (IEC) Lead	Y
Power Cord Length	1.4m
Core Materials	Steel / Plastic
Finish / Colour	Brass

## Balmoral









INSET ELECTRIC FIRE

BAL20CH



Balmoral Chrome

### Features

-  Unique Optiflame effect
-  2kW heat output
-  Choice of 2 heat settings
-  Thermostat
-  LED lighting
-  Side switch control
-  Coal fuel bed
-  Flame effect without heat

### Balmoral Chrome



Chrome

### Spacer Kit




### Manual Control



### Fuel Bed



## Balmoral



### Dimensions & Weight

Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
615	463	185	8

### Product Features

Heat Output	2kW
Heat Settings	2 - 1kW / 2kW
Variable Thermostat	Y
Fan Heat / Radiant Heat	Yes / No
Location of Controls	On side panel
On/Off Switch	Y
Remote Control	N
Batteries Included	N
Optiflame Effect	Y
Flame Type	Rotisserie
Flame Effect Only	Y
Fuel Bed Supplied	Coal

### Accessories

OSP004 Spacer Kit	X-048264
-------------------	----------

### Product Features

Product Category	Electric Fires
Product Type	Inset
Brand	Dimplex
Model/Range Name	Balmoral
Flame Effect	Optiflame
Model Reference	BAL20CH
Material Code	X-047502
Barcode	5011139047502
Approvals	CE/UKCA
Guarantee Period	2 years

### Product Features

Lot 20 Compliant	Y
Freestanding	Y (with spacer)
Wall Mountable	N
Inset	Y
Suite	N
Spacer Kit	Y - X-048264
Lamp Type	LED
Safety Cut Out	Y
Kettle (IEC) Lead	Y
Power Cord Length	1.4m
Core Materials	Steel / Plastic
Finish / Colour	Chrome

## Bellemont









INSET ELECTRIC FIRE

BLL20



Bellemont

### Features

-  Unique Optimyst effect
-  2kW heat output
-  Choice of 2 heat settings
-  Thermostat
-  LED lighting
-  Remote control
-  Coal fuel bed
-  Flame effect only

### Bellemont




### Remote Control



### Fuel Bed



## Bellemont



### Dimensions & Weight

Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
614mm	463mm	196mm	7.5kg

### Product Features

Heat Output	2kW
Heat Settings	2 - 1kW / 2kW
Variable Thermostat	Y
Fan Heat / Radiant Heat	Yes / No
Location of Controls	Top of fire (behind cover)
On/Off Switch	Y
Remote Control	Y
Batteries Included	Y (1 x CR2032)
Optimyst Effect	Y
Flame Type	Optimyst
Water Tank Size	750ml
Fuel Bed Supplied	Coals

### Product Features

Product Category	Electric Fires
Product Type	Inset
Brand	Dimplex
Model/Range Name	Bellemont
Flame Effect	Optimyst
Model Reference	BLL20
Material Code	X-059116
Barcode	5011139059116
Approvals	CE/UKCA
Guarantee Period	2 years

### Product Features

Lot 20 Compliant	Y
Freestanding	N
Wall Mountable	N
Inset	Y
Spacer Kit	N
Suite	N
Lamp Type	LED
Kettle (IEC) Lead	N
Safety Cut Out	Y
Power Cord Length	1.8m
Core Materials	Steel/plastic
Finish / Colour	Brass / Black

## Kingsley Deluxe

FREESTANDING ELECTRIC FIRE

KNG20XBR



### Features

-  Unique Optiflame effect
-  2kW heat output
-  Choice of 2 heat settings
-  Thermostat
-  Run-back timer (8 hours)
-  Variable flame brightness
-  Choice of blue flame effect
-  Downlight
-  LED lighting
-  Remote control
-  Freestanding

### Kingsley Deluxe



### Remote Control



### Flame Effect



# Kingsley Deluxe



Dimensions & Weight			
Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
682	639	194	9.8

Product Features	
Heat Output	2kW
Heat Settings	2 - 1kW / 2kW
Variable Thermostat	Y
Fan Heat / Radiant Heat	Yes / No
Location of Controls	Under canopy
On/Off Switch	Y
Remote Control	Y
Batteries Included	1 x CR2032
Optiflame Effect	Y
Flame Type	Rotisserie
Flame Effect Only	Y
Fuel Bed Supplied	Coals, crystals & logs

Accessories	
HPD001 Hearth Pad	X-025951

Product Features	
Product Category	Electric Fires
Product Type	Freestanding
Brand	Dimplex
Model/Range Name	Kingsley Deluxe
Flame Effect	Optiflame
Model Reference	KNG20XBR
Material Code	500001035
Barcode	5053285137119
Approvals	CE/UKCA
Guarantee Period	2 years

Product Features	
Lot 20 Compliant	Y
Freestanding	Y
Wall Mountable	N
Inset	N
Spacer kit	n/a
Suite	N
Lamp Type	LED
Kettle (IEC) Lead	Y
Safety Cut Out	Y
Power Cord Length	1.8m
Core Materials	Steel/plastic
Finish / Colour	Black / brass

## Kingsley Deluxe



FREESTANDING ELECTRIC FIRE

KNG20XCH



Kingsley Deluxe

### Features

-  Unique Optiflame effect
-  2kW heat output
-  Choice of 2 heat settings
-  Thermostat
-  Run-back timer (8 hours)
-  Variable flame brightness
-  Choice of blue flame effect
-  Downlight
-  LED lighting
-  Remote control
-  Freestanding

### Kingsley Deluxe



### Remote Control



### Flame Effect



## Kingsley Deluxe



W 639mm

D 194mm

H 682mm

### Dimensions & Weight

Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
682	639	194	9.8

### Product Features

Heat Output	2kW
Heat Settings	2 - 1kW / 2kW
Variable Thermostat	Y
Fan Heat / Radiant Heat	Yes / No
Location of Controls	Under canopy
On/Off Switch	Y
Remote Control	Y
Batteries Included	1 x CR2032
Optiflame Effect	Y
Flame Type	Rotisserie
Flame Effect Only	Y
Fuel Bed Supplied	Coals, crystals & logs

### Accessories

HPD001 Hearth Pad	X-025951
-------------------	----------

### Product Features

Product Category	Electric Fires
Product Type	Freestanding
Brand	Dimplex
Model/Range Name	Kingsley Deluxe
Flame Effect	Optiflame
Model Reference	KNG20XCH
Material Code	500001019
Barcode	5053285137126
Approvals	CE/UKCA
Guarantee Period	2 years

### Product Features

Lot 20 Compliant	Y
Freestanding	Y
Wall Mountable	N
Inset	N
Spacer kit	n/a
Suite	N
Lamp Type	LED
Kettle (IEC) Lead	Y
Safety Cut Out	Y
Power Cord Length	1.8m
Core Materials	Steel/plastic
Finish / Colour	Black / chrome

## Portree





INSET ELECTRIC FIRE

POR20CH3D



Portree

### Features

-  Unique Optiflame 3D effect
-  2kW heat output
-  Choice of 2 heat settings
-  Thermostat
-  Run-back timer (8 hours)
-  Variable flame brightness
-  Choice of blue flame effect
-  Downlight
-  LED lighting
-  Remote control

### Portree



### Remote Control




### Fuel Bed



Coals, logs, crystals & pebbles

# Portree



## Dimensions & Weight

Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
613	517	195	13

## Product Features

Heat Output	2kW
Heat Settings	2 - 1kW / 2kW
Variable Thermostat	Y
Fan Heat / Radiant Heat	Yes / No
Location of Controls	Under canopy
On/Off Switch	Y
Remote Control	Y
Batteries Included	Y - CR2032
Optiflame 3D Effect	Y
Flame Type	Optiflame 3D
Flame Effect Only	Y
Fuel Bed Supplied	Coals, logs, crystals & pebbles

## Accessories

OSP005 Spacer Kit - Optiflame 3D	400000490
----------------------------------	-----------

## Product Features

Product Category	Electric Fires
Product Type	Inset
Brand	Dimplex
Model/Range Name	Portree
Flame Effect	Optiflame 3D
Model Reference	POR20CH3D
Material Code	400000030
Barcode	5011139078780
Approvals	CE/UKCA
Guarantee Period	2 years

## Product Features

Lot 20 Compliant	Y
Freestanding	Y - using spacer
Wall Mountable	N
Inset	Y
Spacer kit	Y (see below)
Suite	N
Lamp Type	LED
Kettle (IEC) Lead	Y
Safety Cut Out	Y
Power Cord Length	1.8m
Core Materials	Steel / metal / plastic
Finish / Colour	Chrome / brass

## Savena









INSET ELECTRIC FIRE

SAV20CH



Savena Brushed Chrome

### Features

-  Unique Optiflame effect
-  2kW heat output
-  Choice of 2 heat settings
-  Thermostat
-  Flame effect without heat
-  Coal/Pebble fuel bed
-  LED lighting
-  Side switch control

### Savena



Brushed Chrome

### Spacer Kit




### Manual Control



### Fuel Bed



# Savena



Dimensions & Weight			
Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
615	463	185	8

Product Features	
Heat Output	2kW
Heat Settings	2 - 1kW / 2kW
Variable Thermostat	Y
Fan Heat / Radiant Heat	Yes / No
Location of Controls	On side panel
On/Off Switch	Y
Remote Control	N
Batteries Included	N
Optiflame Effect	Y
Flame Type	Rotisserie
Flame Effect Only	Y
Fuel Bed Supplied	Coal/Pebbles

Accessories	
OSP004 Spacer Kit	X-048264

Product Features	
Product Category	Electric Fires
Product Type	Inset
Brand	Dimplex
Model/Range Name	Savena
Flame Effect	Optiflame
Model Reference	SAV20CH
Material Code	X-047519
Barcode	5011139047519
Approvals	CE/UKCA
Guarantee Period	2 years

Product Features	
Lot 20 Compliant	Y
Freestanding	Y (with spacer)
Wall Mountable	N
Inset	Y
Suite	N
Spacer Kit	Y (see below)
Lamp Type	LED
Safety Cut Out	Y
Kettle (IEC) Lead	Y
Power Cord Length	1.4m
Core Materials	Steel / Plastic
Finish / Colour	Brushed Chrome











## Bari

FREESTANDING ELECTRIC STOVE

BAR20



### Features

-  Unique Optiflame effect
-  2kW heat output
-  Choice of 2 heat settings
-  Thermostat
-  Downlight
-  LED lighting
-  Remote control
-  Log effect fuel bed
-  Flame effect only
-  Opening door

### Bari



### Remote Control



### Fuel Bed



## Bari



W 440mm

D 315mm

H 550mm

### Dimensions & Weight

Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
550	440	315	9.6

### Product Features

Heat Output	2kW
Heat Settings	2 - 1kW / 2kW
Variable Thermostat	Y
Fan Heat / Radiant Heat	Yes / No
Location of Controls	Right Side - Bottom
On/Off Switch	Y
Remote Control	Y
Batteries Included	Y - CR2032
Optiflame Effect	Y
Flame Type	Optiflame
Flame Effect Only	Y
Fuel Bed Supplied	Logs

### Accessories

HPD001 Hearth Pad	X-025951
STP001 Stove Pipe	400000434

### Product Features

Product Category	Electric Fires
Product Type	Stove
Brand	Dimplex
Model/Range Name	Bari
Flame Effect	Optiflame
Model Reference	BAR20
Material Code	X-102096
Barcode	5011139102096
Approvals	CE/UKCA
Guarantee Period	2 years

### Product Features

Lot 20 Compliant	Y
Freestanding	Y
Wall Mountable	N
Inset	N
Opening Door	Y
Suite	N
Lamp Type	LED
Kettle (IEC) Lead	N
Safety Cut Out	Y
Power Cord Length	1.8m
Core Materials	MDF / Plastic
Finish / Colour	Black

## Bayport










FREESTANDING ELECTRIC STOVE

BYP20



Bayport

### Features

-  Unique Optimyst effect
-  2kW heat output
-  Choice of 2 heat settings
-  Thermostat
-  LED lighting
-  Remote control
-  Logs fuel bed
-  Flame effect only
-  Opening door

### Bayport



### Remote Control



### Fuel Bed



## Bayport



W 440mm



D 280mm

H 580mm

### Dimensions & Weight

Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
580	440	280	7.7

### Product Features

Heat Output	2kW
Heat Settings	2 - 1kW / 2kW
Variable Thermostat	Y
Fan Heat / Radiant Heat	Yes / No
Location of Controls	Behind door
On/Off Switch	Y
Remote Control	Y
Batteries Included	Y (1 x CR2032)
Optimyst Effect	Y
Flame Type	Optimyst
Water Tank Size	750ml
Fuel Bed Supplied	Logs

### Accessories

HPD001 Hearth Pad	X-025951
-------------------	----------

### Product Features

Product Category	Electric Fires
Product Type	Stove
Brand	Dimplex
Model/Range Name	Bayport
Flame Effect	Optimyst
Model Reference	BYP20
Material Code	X-059086
Barcode	5011139059086
Approvals	CE/UKCA
Guarantee Period	2 years

### Product Features

Lot 20 Compliant	Y
Freestanding	Y
Wall Mountable	N
Inset	N
Opening Door	Y
Suite	N
Lamp Type	LED
Kettle (IEC) Lead	N
Safety Cut Out	Y
Power Cord Length	1.8m
Core Materials	Steel/plastic
Finish / Colour	Black

## Courchevel











FREESTANDING ELECTRIC STOVE

CVL20E



Courchevel

### Features

-  Unique Optiflame effect
-  2kW heat output
-  Choice of 2 heat settings
-  Thermostat
-  Downlight
-  LED lighting
-  Remote control
-  Log effect fuel bed
-  Flame effect only
-  Opening door

### Courchevel




### Remote Control

- On/off



Logs

## Courchevel



### Dimensions & Weight

Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
597	510	340	16.7

### Product Features

Heat Output	2kW
Heat Settings	2 - 1kW / 2kW
Variable Thermostat	Y
Fan Heat / Radiant Heat	Yes / No
Location of Controls	Right Side - Bottom
On/Off Switch	Y
Remote Control	Y
Batteries Included	Y - CR2032
Optiflame Effect	Y
Flame Type	Optiflame
Flame Effect Only	Y
Fuel Bed Supplied	Logs

### Accessories

HPD001 Hearth Pad	X-025951
-------------------	----------

### Product Features

Product Category	Electric Fires
Product Type	Stove
Brand	Dimplex
Model/Range Name	Courchevel
Flame Effect	Optiflame
Model Reference	CVL20E
Material Code	X-061461
Barcode	5011139061461
Approvals	CE/UKCA
Guarantee Period	2 years

### Product Features

Lot 20 Compliant	Y
Freestanding	Y
Wall Mountable	N
Inset	N
Opening Door	Y
Suite	N
Lamp Type	LED
Kettle (IEC) Lead	N
Safety Cut Out	Y
Power Cord Length	1.8m
Core Materials	MDF / Metal / Plastic
Finish / Colour	White

## Fullerton











FREESTANDING ELECTRIC STOVE

FLN20



Fullerton

### Features

-  Unique Optiflame effect
-  2kW heat output
-  Choice of 2 heat settings
-  Thermostat
-  Downlight
-  LED lighting
-  Remote control
-  Coal & log effect fuel bed
-  Flame effect only
-  Opening doors

### Fullerton



### Remote Control



### Fuel Bed



Coals & logs

## Fullerton



W 620mm

D 390mm

H 660mm

### Dimensions & Weight

Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
660	620	390	26

### Product Features

Heat Output	2kW
Heat Settings	2 - 1kW / 2kW
Variable Thermostat	Y
Fan Heat / Radiant Heat	Yes / No
Location of Controls	Behind door
On/Off Switch	Y
Remote Control	Y
Batteries Included	Y - CR2032
Optiflame Effect	Y
Flame Type	Optiflame
Flame Effect Only	Y
Fuel Bed Supplied	Coals & logs

### Product Features

Product Category	Electric Fires
Product Type	Stove
Brand	Dimplex
Model/Range Name	Fullerton
Flame Effect	Optiflame
Model Reference	FLN20
Material Code	X-068095
Barcode	5011139068095
Approvals	CE/UKCA
Guarantee Period	2 years

### Product Features

Lot 20 Compliant	Y
Freestanding	Y
Wall Mountable	N
Inset	N
Opening Doors	Y
Suite	N
Lamp Type	LED
Kettle (IEC) Lead	N
Safety Cut Out	Y
Power Cord Length	1.8m
Core Materials	MDF / Plastic / Steel
Finish / Colour	Cream

## Leckford











FREESTANDING ELECTRIC STOVE

LEC20



Leckford

### Features

-  Unique Optiflame effect
-  2kW heat output
-  Choice of 2 heat settings
-  Thermostat
-  Downlight
-  LED lighting
-  Remote control
-  Log effect fuel bed
-  Flame effect only
-  Opening doors

### Leckford



### Remote Control



### Fuel Bed



Coals & logs

## Leckford



W 620mm

D 390mm

H 660mm

### Dimensions & Weight

Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
660	620	390	26

### Product Features

Heat Output	2kW
Heat Settings	2 - 1kW / 2kW
Variable Thermostat	Y
Fan Heat / Radiant Heat	Yes / No
Location of Controls	Behind door
On/Off Switch	Y
Remote Control	Y
Batteries Included	Y - CR2032
Optiflame Effect	Y
Flame Type	Optiflame
Flame Effect Only	Y
Fuel Bed Supplied	Coals & logs

### Accessories

STP001 Stove Pipe	400000434
-------------------	-----------

### Product Features

Product Category	Electric Fires
Product Type	Stove
Brand	Dimplex
Model/Range Name	Leckford
Flame Effect	Optiflame
Model Reference	LEC20
Material Code	X-059222
Barcode	5011139059222
Approvals	CE/UKCA
Guarantee Period	2 years

### Product Features

Lot 20 Compliant	Y
Freestanding	Y
Wall Mountable	N
Inset	N
Opening Doors	Y
Suite	N
Lamp Type	LED
Kettle (IEC) Lead	N
Safety Cut Out	Y
Power Cord Length	1.8m
Core Materials	MDF / Plastic / Steel
Finish / Colour	Black

## Lucia











FREESTANDING ELECTRIC STOVE

LUC20



Lucia

### Features

-  Unique Optiflame effect
-  2kW heat output
-  Choice of 2 heat settings
-  Thermostat
-  Downlight
-  LED lighting
-  Remote control
-  Log effect fuel bed
-  Flame effect only
-  Opening door

### Lucia



### Remote Control



### Fuel Bed



Logs

## Lucia



W 508mm

D 344mm

H 597mm

### Dimensions & Weight

Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
597	508	344	16

### Product Features

Heat Output	2kW
Heat Settings	2 - 1kW / 2kW
Variable Thermostat	Y
Fan Heat / Radiant Heat	Yes / No
Location of Controls	Behind Door
On/Off Switch	Y
Remote Control	Y
Batteries Included	Y - CR2032
Optiflame Effect	Y
Flame Type	Optiflame
Flame Effect Only	Y
Fuel Bed Supplied	Logs

### Accessories

HPD001 Hearth Pad	X-025951
STP001 Stove Pipe	400000434

### Product Features

Product Category	Electric Fires
Product Type	Stove
Brand	Dimplex
Model/Range Name	Lucia
Flame Effect	Optiflame
Model Reference	LUC20
Material Code	X-071736
Barcode	5011139071736
Approvals	CE/UKCA
Guarantee Period	2 years

### Product Features

Lot 20 Compliant	Y
Freestanding	Y
Wall Mountable	N
Inset	N
Opening Door	Y
Suite	N
Lamp Type	LED
Kettle (IEC) Lead	N
Safety Cut Out	Y
Power Cord Length	1.8m
Core Materials	MDF / Metal / Plastic
Finish / Colour	Black

## Microstove










FREESTANDING ELECTRIC STOVE

MCFSTV12E



Microstove


### Features

-  Unique Optiflame effect
-  1.2kW heat output
-  Choice of 2 heat settings
-  Thermostat
-  LED lighting
-  Manual control
-  Log effect fuel bed
-  Flame effect only
-  Freestanding

### Microstove



## Microstove



W 351mm

D 220mm

H 422mm

### Dimensions & Weight

Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
422	351	220	6

### Product Features

Heat Output	1.2kW
Heat Settings	600W / 1.2kW
Variable Thermostat	Y
Fan Heat / Radiant Heat	Yes / No
Location of Controls	Back of product
On/Off Switch	Y
Remote Control	N
Batteries Included	N/A
Optiflame Effect	Y
Flame Type	Optiflame
Flame Effect Only	Y
Fuel Bed Supplied	Logs

### Accessories

HPD001 Hearth Pad	X-025951
-------------------	----------

### Product Features

Product Category	Electric Fires
Product Type	Stove
Brand	Dimplex
Model/Range Name	Microstove
Flame Effect	Optiflame
Model Reference	MCFSTV12E
Material Code	X-061522
Barcode	5011139061522
Approvals	CE/UKCA
Guarantee Period	2 years

### Product Features

Lot 20 Compliant	Y
Freestanding	Y
Wall Mountable	N
Inset	N
Opening Door	N
Suite	N
Lamp Type	LED
Kettle (IEC) Lead	N
Safety Cut Out	Y
Power Cord Length	1.8m
Core Materials	Metal / Plastic
Finish / Colour	Black










## Willowbrook

FREESTANDING ELECTRIC STOVE

WLL20



### Features

-  Unique Optimyst effect
-  2kW heat output
-  Choice of 2 heat settings
-  Thermostat
-  LED lighting
-  Remote control
-  Logs fuel bed
-  Flame effect only
-  Opening door

### Willowbrook



### Remote Control




### Fuel Bed



Logs

# Willowbrook



Dimensions & Weight			
Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
582	440	305	11.5

Product Features	
Product Category	Electric Fires
Product Type	Stove
Brand	Dimplex
Model/Range Name	Willowbrook
Flame Effect	Optimyst
Model Reference	WLL20
Material Code	X-060792
Barcode	5011139060792
Approvals	CE/UKCA
Guarantee Period	2 years

Product Features	
Heat Output	2kW
Heat Settings	2 - 1kW / 2kW
Variable Thermostat	Y
Fan Heat / Radiant Heat	Yes / No
Location of Controls	Behind door
On/Off Switch	Y
Remote Control	Y
Batteries Included	Y (2 x AAA)
Optimyst Effect	Y
Flame Type	Optimyst
Water Tank Size	750ml
Fuel Bed Supplied	Logs

Product Features	
Lot 20 Compliant	Y
Freestanding	Y
Wall Mountable	N
Inset	N
Opening Door	Y
Suite	N
Lamp Type	LED
Kettle (IEC) Lead	N
Safety Cut Out	Y
Power Cord Length	1.8m
Core Materials	Steel/plastic
Finish / Colour	Black

Accessories	
HPD001 Hearth Pad	X-025951

## Optimyst Wall Fire








WALL ELECTRIC FIRE

RTOPW20E



Optimyst Wall Fire

### Features

-  Unique Optimyst effect
-  2kW heat output
-  Choice of 2 heat settings
-  Thermostat
-  Remote control
-  Log fuel bed
-  Flame effect only

### Optimyst Wall Fire



### Remote Control




### Fuel Bed



Logs

# Optimyst Wall Fire



## Dimensions & Weight

Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
692	900	172	20.4

## Product Features

Heat Output	2kW
Heat Settings	2 - 1kW / 2kW
Variable Thermostat	Y
Fan Heat / Radiant Heat	Yes / No
Location of Controls	Base of fire
On/Off Switch	Y
Remote Control	Y
Batteries Included	Y - 2 x AAA
Optimyst Effect	Y
Flame Type	Optimyst
Water Tank Size	1.1 Litre
Fuel Bed Supplied	Logs

## Product Features

Product Category	Electric Fires
Product Type	Wall
Brand	Dimplex
Model/Range Name	Optimyst Wall Fire
Flame Effect	Optimyst
Model Reference	RTOPW20E
Material Code	X-061348
Barcode	5011139061348
Approvals	CE/UKCA
Guarantee Period	2 years

## Product Features

Lot 20 Compliant	Y
Freestanding	N
Wall Mountable	Y
Built-in	N
View of fire	1 Sided
Lamp Type	4 x 45W Halogen Bulb (Amber coated MR16)
Colour Settings	N
Kettle (IEC) Lead	N
Safety Cut Out	Y
Power Cord Length	1.8m
Core Materials	Steel/metal/MDF
Finish / Colour	Black

## Toluca Deluxe



WALL ELECTRIC FIRE

TLC20LX



Toluca Deluxe

### Features

-  Unique Optiflame effect
-  2kW heat output
-  Choice of 2 heat settings
-  Thermostat
-  Run-back timer (8 hours)
-  Variable flame brightness
-  Choice of colour options
-  LED lighting
-  Remote control
-  Crystal or Pebble fuel bed
-  Flame effect only

### Colour options



Blue



Green



Red



Amber


### Remote Control



### Flame Effect



# Toluca Deluxe



## Dimensions & Weight

Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
540	820	155	14.5kg

## Product Features

Heat Output	2kW
Heat Settings	2 - 1kW / 2kW
Variable Thermostat	Y
Fan Heat / Radiant Heat	Yes / No
Location of Controls	Top right side of fire
On/Off Switch	Y
Remote Control	Y
Batteries Included	1 x CR2032
Optiflame Effect	Y
Flame Type	Rotisserie
Flame Effect Only	Y
Fuel Bed Supplied	Crystals or Pebbles

## Product Features

Product Category	Electric Fires
Product Type	Wall
Brand	Dimplex
Model/Range Name	Toluca Deluxe
Flame Effect	Optiflame
Model Reference	TLC20LX
Material Code	400000340
Barcode	5011139061935
Approvals	CE/UKCA
Guarantee Period	2 years

## Product Features

Lot 20 Compliant	Y
Freestanding	N
Wall Mountable	Y
Built in	N
View of fire	1 sided
Lamp Type	LED
Colour Settings	Y
Kettle (IEC) Lead	N
Safety Cut Out	Y
Power Cord Length	1.8m
Core Materials	Metal / Glass
Finish / Colour	Black

## Ignite 74

BUILT-IN ELECTRIC FIRE

XLF74



Ignite 74

### Features

-  Unique Optiflame effect
-  2kW heat output
-  Thermostat
-  Run-back timer (8 hours)
-  Variable flame brightness
-  Choice of colour options
-  Comfort\$aver
-  Heat boost
-  Remote control
-  Acrylic Ice fuel bed
-  Flame effect only

### Colour Options



Blue



Green



Purple



Red



Orange




White


### Remote Control



### Manual Control



## Ignite 74



### Dimensions & Weight

Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
419	1941	147	39.2kg

### Product Features

Heat Output	2kW
Heat Settings	1.8-2kW
Variable Thermostat	Y
Fan Heat / Radiant Heat	Yes / No
Location of Controls	Top right hand side
On/Off Switch	Y
Remote Control	Y
Batteries Included	1 x CR2032
Optiflame Effect	Y
Flame Type	Rotisserie
Flame Effect Only	Y
Fuel Bed Supplied	Acrylic Ice

### Accessories

Driftwood River Rock 74"	X-LF74DWS-KIT
--------------------------	---------------

### Product Features

Product Category	Electric Fires
Product Type	Built-in
Brand	Dimplex
Model/Range Name	Ignite
Flame Effect	Optiflame
Model Reference	XLF74
Material Code	X-210289
Barcode	5011139210289
Approvals	CE/UKCA
Guarantee Period	2 years

### Product Features

Lot 20 Compliant	Y
Freestanding	N
Wall Mountable	N
Built in	Y
View of fire	1 sided
Lamp Type	LED
Colour Settings	Y
Kettle (IEC) Lead	Y
Safety Cut Out	Y
Power Cord Length	1.8m
Core Materials	Metal / Glass
Finish / Colour	Black



## Ignite 100




BUILT-IN ELECTRIC FIRE

XLF100



Ignite 100

### Features

-  Unique Optiflame effect
-  2kW heat output
-  Thermostat
-  Run-back timer (8 hours)
-  Variable flame brightness
-  Choice of colour options
-  Comfort\$aver
-  Heat boost
-  Remote control
-  Acrylic Ice fuel bed
-  Flame effect only

### Colour Options



Blue



Green



Purple



Red



Orange




### Remote Control



### Manual Control



## Ignite 100



### Dimensions & Weight

Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
419	2576	147	50.7kg

### Product Features

Heat Output	2kW
Heat Settings	1.8 - 2kW
Variable Thermostat	Y
Fan Heat / Radiant Heat	Yes / No
Location of Controls	Top right hand side
On/Off Switch	Y
Remote Control	Y
Batteries Included	1 x CR2032
Optiflame Effect	Y
Flame Type	Rotisserie
Flame Effect Only	Y
Fuel Bed Supplied	Acrylic Ice

### Accessories

Driftwood River Rock 50"	X-LF50DWS-KIT x 2
--------------------------	-------------------

### Product Features

Product Category	Electric Fires
Product Type	Built-in
Brand	Dimplex
Model/Range Name	Ignite
Flame Effect	Optiflame
Model Reference	XLF100
Material Code	X-210296
Barcode	5011139210296
Approvals	CE/UKCA
Guarantee Period	2 years

### Product Features

Lot 20 Compliant	Y
Freestanding	N
Wall Mountable	N
Built in	Y
View of fire	1 sided
Lamp Type	LED
Colour Settings	Y
Kettle (IEC) Lead	Y
Safety Cut Out	Y
Power Cord Length	1.8m
Core Materials	Metal / Glass
Finish / Colour	Black



## Chadwick

FREESTANDING ELECTRIC SUITE

CDW15XHD



### Features

-  Unique Optiflame effect
-  1.5kW heat output
-  Thermostat
-  Run-back timer (8 hours)
-  Variable flame brightness
-  Choice of flame effect
-  LED lighting
-  Remote control
-  Log effect fuel bed
-  Flame effect only
-  Suite - quick & easy to install

### Chadwick



### Remote Control




### Fuel Bed



Logs

# Chadwick



Dimensions & Weight			
Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
915	933	297	36.1

Product Features	
Heat Output	1.5kW
Heat Setting	1-1.5kW
Variable Thermostat	Y
Fan Heat / Radiant Heat	Yes / No
Location of Controls	Top right side of fire
On/Off Switch	Y
Remote Control	Y
Batteries Included	Y - 1 x CR2032
Optiflame Effect	Y
Flame Type	Optiflame XHD
Flame Effect Only	Y
Fuel Bed Supplied	Log effect

Product Features	
Product Category	Electric Fires
Product Type	Suite
Brand	Dimplex
Model/Range Name	Chadwick
Flame Effect	Optiflame
Model Reference	CDW15XHD
Material Code	500000699
Barcode	5011139211811
Approvals	CE/UKCA
Guarantee Period	2 years

Product Features	
Lot 20 Compliant	Y
Freestanding	Y
Wall Mountable	N
Inset	N
Suite	Y
Assembly	Fully assembled
Lamp Type	LED
Kettle (IEC) Lead	N
Safety Cut Out	Y
Power Cord Length	1.8m
Core Materials	MDF / Glass / Steel
Finish / Colour	Cream

## Mozart










FREESTANDING ELECTRIC SUITE

MZT20BL-E



Mozart Black


### Features

-  Unique Optiflame effect
-  2kW heat output
-  Choice of 2 heat settings
-  Thermostat
-  LED lighting
-  Manual control
-  Log effect fuel bed
-  Flame effect only
-  Suite - quick & easy to install

### Mozart




### Fuel Bed



Logs

# Mozart



Dimensions & Weight			
Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
857	920	375	40

Product Features	
Heat Output	2kW
Heat Settings	2 - 1kW / 2kW
Variable Thermostat	Y
Fan Heat / Radiant Heat	Yes / No
Location of Controls	On fire behind cover
On/Off Switch	Y
Remote Control	N
Batteries Included	n/a
Optiflame Effect	Y
Flame Type	Optiflame
Flame Effect Only	Y
Fuel Bed Supplied	Log effect

Product Features	
Product Category	Electric Fires
Product Type	Suite
Brand	Dimplex
Model/Range Name	Mozart
Flame Effect	Optiflame
Model Reference	MZT20BL-E
Material Code	400000066
Barcode	5011139061553
Approvals	CE/UKCA
Guarantee Period	2 years

Product Features	
Lot 20 Compliant	Y
Freestanding	Y
Wall Mountable	N
Inset	N
Suite	Y
Assembly	Fully assembled
Lamp Type	LED
Kettle (IEC) Lead	N
Safety Cut Out	Y
Power Cord Length	1.8m
Core Materials	MDF / Plastic / Steel
Finish / Colour	Black

## Portland 16


FREESTANDING ELECTRIC SUITE

PLD16UK



Portland 16

### Features

-  Unique Optiflame effect
-  2kW heat output
-  Thermostat
-  Run-back timer (8 hours)
-  Variable flame brightness
-  Choice of flame effect
-  LED lighting
-  Remote control
-  Log effect fuel bed
-  Flame effect only
-  Suite - quick & easy to install

### Portland 16



### Remote Control



### Fuel Bed



Logs

# Portland 16



W 870mm

D 270mm

H 850mm

## Dimensions & Weight

Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
850	870	270	45.5

## Product Features

Heat Output	2kW
Heat Setting	2 - 1kW / 2kW
Variable Thermostat	Y
Fan Heat / Radiant Heat	Yes / No
Location of Controls	Top left side of fire
On/Off Switch	Y
Remote Control	Y
Batteries Included	Y - 1 x CR2032
Optiflame Effect	Y
Flame Type	Optiflame
Flame Effect Only	Y
Fuel Bed Supplied	Log Set

## Product Features

Product Category	Electric Fires
Product Type	Suite
Brand	Dimplex
Model/Range Name	Portland
Flame Effect	Optiflame
Model Reference	PLD16UK
Material Code	500004337
Barcode	5011139089199
Approvals	CE/UKCA/FSC
Guarantee Period	2 years

## Product Features

Lot 20 Compliant	Y
Freestanding	Y
Wall Mountable	N
Inset	N
Suite	Y
Assembly	Fully assembled
Lamp Type	LED
Kettle (IEC) Lead	N
Safety Cut Out	Y
Power Cord Length	1.5m
Core Materials	MDF / Glass / Steel
Finish / Colour	White

## Portland 23



FREESTANDING ELECTRIC SUITE

PLD23UK



Portland 23

### Features

-  Unique Optiflame effect
-  1.4kW heat output
-  Thermostat
-  Run-back timer (8 hours)
-  Variable flame brightness
-  Choice of flame effect
-  LED lighting
-  Remote control
-  Log effect fuel bed
-  Flame effect only
-  Suite - quick & easy to install

### Portland 23



### Remote Control



### Fuel Bed



Logs

# Portland 23



## Dimensions & Weight

Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
980	1080	300	45.5

## Product Features

Heat Output	1.4kW
Heat Setting	1
Variable Thermostat	Y
Fan Heat / Radiant Heat	Yes / No
Location of Controls	Top right side of fire
On/Off Switch	Y
Remote Control	Y
Batteries Included	Y - 1 x CR2032
Optiflame Effect	Y
Flame Type	Optiflame
Flame Effect Only	Y
Fuel Bed Supplied	Log Set

## Product Features

Product Category	Electric Fires
Product Type	Suite
Brand	Dimplex
Model/Range Name	Portland
Flame Effect	Optiflame
Model Reference	PLD23UK
Material Code	500004350
Barcode	5011139089243
Approvals	CE/UKCA/FSC
Guarantee Period	2 years

## Product Features

Lot 20 Compliant	Y
Freestanding	Y
Wall Mountable	N
Inset	N
Suite	Y
Assembly	Fully assembled
Lamp Type	LED
Kettle (IEC) Lead	N
Safety Cut Out	Y
Power Cord Length	1.5m
Core Materials	MDF / Glass / Steel
Finish / Colour	White



Millbrook House  
Grange Drive  
Hedge End  
Southampton  
SO30 2DF

T: 0344 879 1227  
E: [flamesupportuk@glendimplex.com](mailto:flamesupportuk@glendimplex.com)

[www.dimplexfires.com](http://www.dimplexfires.com)



[@dimplexfires](https://www.instagram.com/dimplexfires)